

ADOBE® CREATIVE SUITE® 5.5

DEPLOYMENT COMPONENT REFERENCE

© 2011 Adobe Systems Incorporated and its licensors. All rights reserved.

Adobe® Creative Suite® 5.5 Deployment Component Reference

This guide is licensed for use under the terms of the Creative Commons Attribution Non-Commercial 3.0 License. This License allows users to copy, distribute, and transmit the guide for noncommercial purposes only so long as (1) proper attribution to Adobe is given as the owner of the guide; and (2) any reuse or distribution of the guide contains a notice that use of the guide is governed by these terms. The best way to provide notice is to include the following link. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Adobe, the Adobe logo, Adobe AIR, Adobe OnLocation, Adobe Premiere, Acrobat, After Effects, AIR, Contribute, Creative Suite, Dreamweaver, Encore, Fireworks, Flash, Flash Lite, Flex, Illustrator, InCopy, InDesign, Kuler, Pixel Bender, Photoshop, and Soundbooth are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Mac is a trademark of Apple Inc., registered in the United States and other countries. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

Adobe Systems Incorporated, 345 Park Avenue, San Jose, California 95110, USA.

CS5.5 Deployment Component Reference

Component –Payload Mapping

This document contains a table that correlates payloads in Adobe® Creative Suite® 5.5 product install folders with the applications and components to which they belong. The payload list and the component list is derived from the CS5.5 Master Collection product. Other CS5.5 products will contain some subset of these payloads and components.

The table has five columns:

- ▶ The first column “Component” contains the name of an application or component as it appears in the Setup or deployment toolkit interface. These names are roughly in alphabetical order; where this order is violated, it is to keep related components together.

In order to make it easier to find the components by name, and to save space in the table, all “CS5.5” qualifiers and any leading “Adobe” have been dropped from the component names. For example, “Adobe After Effects® CS5.5” is shown as “After Effects”.

- ▶ The second column “Type” lists whether the item in the first column is a primary CS5.5 application, a shared component, a supporting component, or some other type that is not listed as a discrete named entity by Setup or the toolkit.
- ▶ The third column “Component Description” contains a concise description of the component’s functionality.
- ▶ The fourth column “Payload” lists the names of any payloads whose content implements this component. If a payload is platform-specific, its name is followed by either (Windows) or (Mac). If a payload has neither designation, it appears on both platforms.
- ▶ The fifth column “Payload Description” contains additional information about the payloads, such as whether they are required or optional, and for which applications.

Component	Type	Component Description	Payload	Payload Description
Acrobat® 10 Pro	Application	An Adobe PDF application to read, edit, and annotate PDF files.	Acrobat Profession 10.0-EFG	Acrobat product payload. Note that this payload wraps the native MSI or PKG payload with a Creative Suite proprietary install technology. The 'EFG' string is locale dependent and may change based on the locale intended to deploy.
After Effects®	Application	Creates motion graphics and visual effects for film, video, DVD, the web, and mobile devices.	AdobeAfterEffects10.5AllRetail	Core payload for After Effects 10 for all languages supported on the given media. Without this payload, After Effects will not be installed.
			AdobeAfterEffects10.5de_DELanguagePack AdobeAfterEffects10.5en_USLanguagePack AdobeAfterEffects10.5es_ESLanguagePack AdobeAfterEffects10.5fr_FRLanguagePack AdobeAfterEffects10.5it_ITLanguagePack AdobeAfterEffects10.5ja_JPLanguagePack AdobeAfterEffects10.5ko_KRLanguagePack	Language resources.
		Protected content that cannot be installed without a valid serial number, and a wrapper payload that ensure proper handling of the protected content in all licensing scenarios.	AdobeAfterEffects10.5ProtectedAll AdobeAfterEffects10.5ProtectedWrapperAll	Without this payload, the application will be unable to read/write many codecs when the application is run in trial mode. This payload is essential to the full-featured use of After Effects.
		Functional content.	AdobeAfterEffectsFunctionalContent10.5All	This payload is recommended in order to most efficiently utilize all workflows.

Component	Type	Component Description	Payload	Payload Description
After Effects	Support	Specialized preference settings for After Effects.	AdobeAfterEffectsPresets10.5All	Without this, all presets will not be loaded on system at install time.
		Required support.	AdobeAfterEffects10.5SupportAll	Support payload required for proper functioning of workflows.
		Video profiles.	AdobeVideoProfilesAE3_1-mul	Without this, some common color profiles for use with video will not be available. This will not cripple After Effects.
		Color settings.	AdobeMotionPicture3_1-mul	Without it, primary features in After Effects do not work properly.
Audition®	Application	Creates audio tracks for film, video, DVD, the web, and mobile devices.	AdobeAudition4All	Core payload for Audition 4 for all languages supported on the given media. Without this payload, Audition will not be installed.
			AdobeAudition4en_USLanguagePack	Language resources.
Adobe Bridge	Shared	File browser and metadata editor for organizing, browsing, locating, and viewing media-rich creative assets. Provides centralized access to project files and global settings, as well as to XMP metadata tagging and searching capabilities.	AdobeBridge4_1-mul	Core payload; also the Adobe Bridge product installer. Required by Illustrator®, InDesign®, and Photoshop®. Optional for some other products.
Adobe Camera Raw	Support	Provides ability to manipulate still (photographic) images and allows viewing and editing of camera-native format digital negatives.	AdobeCameraRaw6.0All AdobeCameraRaw6.0All-181110110248 AdobeCameraRaw6.0All-x64 (Windows)	Camera raw plug-in. Required by most CS5.5 applications. Without it, applications cannot read,write, or edit camera raw data.
		Camera profiles for Camera Raw input.	AdobeCameraRawProfile6.0All AdobeCameraRawProfile6.0All-181110110333	Required by Adobe Bridge and Photoshop.
CMaps	Support	Character mapping tables necessary for correct font behavior.	AdobeCMaps3-mul	Core payload. Required for most CS5.5 applications.
			AdobeCMaps3_x64-mul (Windows)	64-bit version of above payload; used only by Photoshop.

Component	Type	Component Description	Payload	Payload Description
Color profiles and settings	Support	Color profiles for CMYK and RGB color spaces.	AdobeColorCommonSetCMYK3_1-mul	Absence of critical CMYK color profiles may cause improper print production. Required for some of the CS5.5 applications.
			AdobeColorCommonSetRGB3_1-mul	Absence of critical RGB color profiles may cause applications to function improperly. Required for many of the CS5.5 applications.
		Extra color profiles for various regions: European Union (EU), Japan (JA), and all other regions (NA).	AdobeColorEU_ExtraSettings3_1-mul AdobeColorJA_ExtraSettings3_1-mul AdobeColorNA_ExtraSettings3_1-mul	Required for Flash, Illustrator, InDesign, and Photoshop.
		Recommended color profiles for various regions: European Union (EU), Japan (JA), and all other regions (NA).	AdobeColorEU_Recommended3_1-mul AdobeColorJA_Recommended3_1-mul AdobeColorNA_Recommended3_1-mul	Required for Flash, Illustrator, InDesign, and Photoshop.
Content Viewer®	Application	Content viewing application for use with Digital Publishing applications.	AdobeContentViewer-mul	Application payload. Without this payload the Content Viewer application is not available.
Contribute®	Application	Enables users to collaboratively author, review, and publish web content while maintaining site integrity without learning HTML.	AdobeContribute6.1-mul	Product payload.
			AdobeContribute6.1en_GBLanguagePack AdobeContribute6.1en_USLanguagePack	Language resources.
			AdobeContribute6.1-FFPlugin AdobeContribute6.1-IEPlugin AdobeContribute6.1-OfficePlugin	Browser and application support, required by Contribute.
CS Extensibility	Support	Creative Suite Extensibility infrastructure. Utility used by Service Manager Extensions and Adobe Drive for accessing CS5.5 online services embedded in CS5.5 applications.	AdobeCSXSExtensions2.5-mul AdobeCSXSInfrastructure2.5-mul	Core payloads providing in-application presence for CS Live services. Required by most products within the suite.
CS Review Panel	Shared	A Flex-based CS extension that provides interaction with the CS Review/CS Live service.	AdobeReviewPanelCS-mul	Installer. Used by InDesign, Photoshop, Illustrator, Premiere® Pro.

Component	Type	Component Description	Payload	Payload Description
Device Central	Shared	Production and emulation of content for mobile phones and consumer electronic devices.	AdobeDeviceCentral3.5-mul	Core payload. Optional with some products.
			DeviceCentral3.5LP-de_DE DeviceCentral3.5LP-en_GB DeviceCentral3.5LP-en_US DeviceCentral3.5LP-es_ES DeviceCentral3.5LP-es_MX DeviceCentral3.5LP-fr_CA DeviceCentral3.5LP-fr_FR DeviceCentral3.5LP-it_IT DeviceCentral3.5LP-ja_JP DeviceCentral3.5LP-ko_KR	Language resources.
Net Averages	Shared	A Flex-based CS extension that provides activity reporting for a web site.	SiteCatalystNetAverages2-mul	Installer. Used by Dreamweaver, Flash Pro, InDesign, Photoshop, Illustrator, Premiere® Pro.
Digital Publishing®	Application	Digital publishing applications.	AdobeDigitalPublishing-mul	Core payload.
			AdobeDigitalPublishingAppLang-en_GB AdobeDigitalPublishingAppLang-en_US	Language resources.
Dreamweaver®	Application	Build web sites and applications, used by web designers, web developers, and visual designers.	AdobeDreamweaver11.5-mul	Core payload.
			AdobeDreamweaver11.5en_GBLanguagePack AdobeDreamweaver11.5en_USLanguagePack	Language resources.
Dynamic Link	Support	Support for the Dynamic Link feature in video and audio applications.	AdobeDynamicLinkSupport5.All	Required for After Effects, Encore®, Flash, Adobe Premiere Pro, and Soundbooth®.

Component	Type	Component Description	Payload	Payload Description
Encore	Application	Creative tool set for DVD and Blu-ray disk authoring and SWF export to the web. Ships with Adobe Premiere Pro.	AdobeEncore5.1AllRetail	Core payload for all languages supported by the given media.
			AdobeEncore5.1de_DELanguagePack AdobeEncore5.1en_USLanguagePack AdobeEncore5.1es_ESLanguagePack AdobeEncore5.1fr_FRLanguagePack AdobeEncore5.1it_ITLanguagePack AdobeEncore5.1ja_JPLanguagePack AdobeEncore5.1ko_KRLanguagePack	Language resources.
		Protected content that cannot be installed without a valid serial number. Not listed in Setup or toolkit UIs.	AdobeEncore5.1ProtectedAll AdobeEncore5.1ProtectedWrapperAll	Without this payload, the application will be unable to read/write many codecs when the application is run in trial mode. This payload is essential to the full-featured use of Encore.
		Functional content.	AdobeEncoreFunctionalContent5.1All	This payload is recommended in order to most efficiently utilize all workflows.
ExtendScript Toolkit	Support	Development and debugging tool for JavaScript scripts. Its easy-to-use built-in syntax checker identifies problem areas in your scripts and suggests solutions.	AdobeExtendScriptToolkit3.6.0-mul	Core payload. Required for Flash, Illustrator, and InDesign. Optional for many other CS5.5 applications.
		Language resources for localizing name of Utilities folder in Mac OS.	AdobeUtilities3.1-mul (Mac)	Without it, ExtendScript Toolkit will not function properly in Mac OS.
Extension Manager	Shared	Manages extensions, plugins, and settings across most Creative Suite applications.	AdobeExtensionManager5.5All	Core application payload. Without it, applications cannot handle CS SDK extensions. Required for Fireworks®, Illustrator, and InDesign. Optional for most other products. Also available online from Adobe Exchange.
Fireworks	Application	Allows rapid prototyping of web sites and application interfaces. Creates and optimizes images for the web.	AdobeFireworks11.1.0All	Core payload, product installer.
			AdobeFireworks11.1.0en_GBLanguagePack AdobeFireworks11.1.0en_USLanguagePack	Language resources.

Component	Type	Component Description	Payload	Payload Description
Flash Builder™	Application	A development tool for cross-platform, rich Internet applications. (Formerly Flex Builder.)	AdobeFlashBuilder-mul	Core payload, product installer.
	Support	AIR output for iOS devices.	AIRforiOSFlashBuilder-mul AIRforiOSWrapper2.6-mul	Enables output of AIR applications targeted to iOS devices.
	Support	Fonts.	AdobeFlashFonts1-mul	Used in Flash Builder and Flash Catalyst™.
Flash Catalyst	Application	An interactive design tool for graphic and web designers who want to rapidly create expressive interfaces and interactive content without writing code.	AdobeFlashCatalyst-mul	Core payload, product installer.
Flash Pro	Application	Enables creation of animated images in SWF (Small Web Format) files.	AdobeFlash11.5-mul	Core payload, product installer.
			AdobeFlash11.5de_DELanguagePack AdobeFlash11.5en_USLanguagePack AdobeFlash11.5es_ESLanguagePack AdobeFlash11.5fr_FRLanguagePack AdobeFlash11.5it_ITLanguagePack AdobeFlash11.5ja_JPLanguagePack AdobeFlash11.5ko_KRLanguagePack	Language resources
	Support	Support for iPhone.	iPhone_Flash11.5-mul	Recommended.
			AdobeMobileExtension_Flash11.5-de_DE AdobeMobileExtension_Flash11.5-en_US AdobeMobileExtension_Flash11.5-es_ES AdobeMobileExtension_Flash11.5-fr_FR AdobeMobileExtension_Flash11.5-it_IT AdobeMobileExtension_Flash11.5-ja_JP AdobeMobileExtension_Flash11.5-ko_KR AdobeMobileExtension_Flash11.5-mul	Language resources
			The Flash Player that is directly linked to products that need to use Flash.	AdobeAPE3.2-mul AdobeAPE3.101-mul AdobeAPE3_x64-mul
		Flash Player standard browser plug-in.	FPPluginMac_STI (Mac)	The web browser plugin for Flash Player in Mac OS. This is required by Flash Pro for critical user workflows.

Component	Type	Component Description	Payload	Payload Description
Fonts	Support	Collection of bundled Adobe fonts.	AdobeFontsRecommended-mul AdobeFontsRecommended_x64-mul (Windows) AdobeFontsRequired-mul AdobeFontsRequired_x64-mul (Windows)	Recommended/required for use with CS5.5 applications.
		Type support used to display fonts.	AdobeTypeSupport10-mul AdobeTypeSupport10-mul-x64 (Windows)	Required for most CS5.5 applications. Without it, applications fail to execute. 64-bit version is for Photoshop.
Help	Shared	Help integration library.	AdobeHelp AdobeHunspellPluginAll HIL_Help_Search	Required by most suite applications.
Illustrator	Application	Creates vector graphics.	AdobeIllustrator15_lmul	Core payload, product installer.
			AdobeIllustrator15_1de_DELanguagePack AdobeIllustrator15_1en_GBLanguagePack AdobeIllustrator15_1en_USLanguagePack AdobeIllustrator15_1es_ESLanguagePack AdobeIllustrator15_1es_MXLanguagePack AdobeIllustrator15_1fr_CALanguagePack AdobeIllustrator15_1fr_FRLanguagePack AdobeIllustrator15_1it_ITLanguagePack AdobeIllustrator15_1ja_JPLanguagePack AdobeIllustrator15_1ko_KRLanguagePack	Language resources.

Component	Type	Component Description	Payload	Payload Description
InDesign	Application	Print layout program.	AdobeInDesign7xAppBase-mul	Core payload, product installer.
			AdobeInDesign7xAppLang-en_GB AdobeInDesign7xAppLang-en_US AdobeInDesign7xCommonBase-mul AdobeInDesign7xCommonLang-en_GB AdobeInDesign7xCommonLang-en_US	Language resources.
			AdobeInDesign7xAppFSet-Japan	Japan-specific resources. Required.
			AdobeInDesign7xAppFSet-Roman	Roman glyph-based language resources. Required for Roman glyph-based languages.
	Support	Ensures InDesign icons and bitmaps are properly used for InDesign files on the system.	AdobeInDesign7xIconHandler-mul (Windows)	Without this, InDesign files have a generic icon in Windows Explorer.
			AdobeInDesign7xIconHandler64-mul (Windows)	This payload is used by the operating system. Because 32-bit products can run on 64-bit platforms, a 64-bit version of this payload is necessary, even though InDesign itself does not have a 64-bit version.

Component	Type	Component Description	Payload	Payload Description
InDesign InCopy®	Support	Installs the Tool Hints plug-in, a Flex-based CS extension that provides information on modifier keys and their behavior when using tools such as Text Tool, Rectangle Tool.	AdobeToolhints-mul	Used by InDesign and InCopy.
		Smart Independent Glyphlets (SING). Needed to display SING glyphlets embedded in documents. Also required by SGM, as it implements the functionality the SGM UI makes available. Consists of two libraries: -- The SING library provides functionality for activating glyphlets in the system's glyphlet repository, deleting glyphlets from the repository, displaying glyphlets, and providing several ways of organizing and searching for glyphlets. -- The TIN library adds glyphlets to their parent fonts.	AdobeSING3-mul AdobeSING3_x64-mul	Required by InDesign and InCopy. Without this payload, InDesign and InCopy would be unable to display embedded SING glyphlets in documents and SGM would be unable to function.
		Installs components to provide InDesign and InCopy the ability to place and export Adobe Buzzword documents.	AdobeBuzzword-mul (Mac OS)	Used by InDesign and InCopy.
Java Runtime	Shared	Java Runtime payload for specific version.	JRECS5.5mul	Required by most suite applications.
Linguistics	Support	Spelling and hyphenation data files used by the Linguistics library.	AdobeLinguisticsAll AdobeLinguistics_3_5_All	Core payload. Required for Contribute, Flash, Illustrator, InDesign, and Photoshop. Without it, text-based features do not function properly.
			AdobeLinguisticsAll_x64 (Windows)	64-bit version for Photoshop.
		A variant of the Adobe Linguistics component useful for Middle Eastern, North African, and central European languages.	AdobeWinSoftLinguisticsPluginAll AdobeWinSoftLinguisticsPlugin_3_5_All	Required for Flash, Illustrator, InDesign, and Photoshop.
			AdobeWinSoftLinguisticsPluginAll_x64 (Windows)	64-bit version for Photoshop.

Component	Type	Component Description	Payload	Payload Description
Media Encoder	Shared	Also called AME. Used to transcode dynamic media from one format to another.	AMECore5.5All AMECore5.5All_x64	Without it, translation between various media types (various codecs and SWF) is not possible. Required by Encore and Adobe Premiere Pro. Optional for Flash Pro and After Effects.
Bridge	Shared	Supports BridgeTalk communication between Bridge and the various point products.	SwitchBoard2.0All	Without this payload, Bridge will not function properly.
OnLocation™	Application	Included with Adobe Premiere Pro, provides direct camera-to-disk recording and monitoring.	AdobeOnLocation5.1All	Core payload, product installer.
			AdobeOnLocation5.1en_USLanguagePack AdobeOnLocation5.1de_DELanguagePack AdobeOnLocation5.1es_ESLanguagePack AdobeOnLocation5.1fr_FRLanguagePack AdobeOnLocation5.1it_ITLanguagePack AdobeOnLocation5.1ja_JPLanguagePack AdobeOnLocation5.1ko_KRLanguagePack	Language resources.
Output Module	Support	Export format utility.	AdobeOutputModuleAll	Required by most CS5.5 applications. Without it, the Export feature fails to function properly in many products and fails completely in After Effects.
PDF Library Files	Support	In-application support for the PDF format.	AdobePDFL9.9-mul	Required for most CS5.5 applications. Without it, PDF support is not available in applications.
			AdobePDF9-mul-x64 (Windows)	64-bit version used only by Photoshop.
PDF Settings	Support	Utility for creating, editing, and managing specialized PDF creation settings.	AdobePDFSettings10-mul	Core payload. Required for Flash, Illustrator, InDesign, and Photoshop.
			AdobePDFSettings10-ja_JP	Japanese version of above.

Component	Type	Component Description	Payload	Payload Description
Pixel Bender® Toolkit	Support	An IDE for working with the Pixel Bender image and video processing infrastructure. It provides automatic runtime optimization on heterogeneous hardware. It allows you to implement image processing algorithms in a hardware-independent manner.	aifsdk-win (Windows) aifsdk-mac (Mac OS)	Required by Flash and optional with After Effects. Not available with other products. Without this payload, you cannot work with a Pixel Bender image.
Photoshop	Application	Editing digital photographs, including 3D models, motion-based content, and advanced image analysis.	AdobePhotoshop12-Core AdobePhotoshop12-Core_x64 (Windows)	32-bit core payload, product installer. 64-bit core payload, product installer.
			AdobePhotoshop12-de_DE AdobePhotoshop12-de_DE_x64 AdobePhotoshop12-en_GB AdobePhotoshop12-en_GB_x64 AdobePhotoshop12-en_US AdobePhotoshop12-en_US_x64 AdobePhotoshop12-es_ES AdobePhotoshop12-es_ES_x64 AdobePhotoshop12-es_MX AdobePhotoshop12-es_MX_x64 AdobePhotoshop12-fr_CA AdobePhotoshop12-fr_CA_x64 AdobePhotoshop12-fr_FR AdobePhotoshop12-fr_FR_x64 AdobePhotoshop12-it_IT AdobePhotoshop12-it_IT_x64 AdobePhotoshop12-ja_JP AdobePhotoshop12-ja_JP_x64 AdobePhotoshop12-ko_KR AdobePhotoshop12-ko_KR_x64	Language resources.
	Support	Hardware accelerator.	AdobePhotoshop12-Support	Without this, Photoshop does not run properly on some platforms.
		Photoshop-specific color profiles.	AdobeColorPhotoshop3_1-mul	Without this, color profiles commonly used in Photoshop are not available, but the product can operate.
		Video color profiles.	AdobeVideoProfilesCS3_1-mul	Without this, video workflows work but useful profiles will not be available.

Component	Type	Component Description	Payload	Payload Description
Premiere Pro	Application	Video production solution. Includes OnLocation and Encore.	AdobePremierePro5.5AllRetail	Core payload, product installer.
			AdobePremierePro5.5de_DELanguagePack AdobePremierePro5.5en_USLanguagePack AdobePremierePro5.5es_ESLanguagePack AdobePremierePro5.5fr_FRLanguagePack AdobePremierePro5.5it_ITLanguagePack AdobePremierePro5.5ja_JPLanguagePack AdobePremierePro5.5ko_KRLanguagePack	Language resources.
	Support	Functional content.	AdobePremiereProFunctionalContent5.5All	Recommended in order to most efficiently utilize all workflows.
		Required support.	AdobePremierePro5.5SupportAll	Required for proper functioning of workflows.
Soundbooth	Application	Tools to create and polish audio, customize music, add sound effects, and much more.	AdobeSoundbooth3AllTrial	Core payload, product installer.
			AdobeSoundbooth3en_USLanguagePack	Language resources.
		Protected content that cannot be installed without a valid serial number. Not listed in Setup or toolkit UIs.	AdobeSoundbooth3ProtectedAll AdobeSoundbooth3ProtectedWrapperAll	Without this, Soundbooth cannot read and write codec data; it cannot function properly without this capability.
		Protected content that cannot be installed without a valid serial number.	AdobeSoundbooth3RoyaltyAll AdobeSoundbooth3RoyaltyWrapperAll	Should be deployed with all serialized deployments.
Speech analysis	Shared	Language data needed to do automatically transcribed speech recognition on soundtracks in video.	AdobeInternationalEnglishSpeechAnalysisModels2.5All AdobeItalianSpeechAnalysisModels2.5All AdobeJapaneseSpeechAnalysisModels2.5All AdobeKoreanSpeechAnalysisModels2.5All AdobeSpanishSpeechAnalysisModels2.5All AdobeFrenchSpeechAnalysisModels2.5All AdobeGermanSpeechAnalysisModels2.5All	Without this, video and sound applications capable of doing speech analysis will be unable to do it. Optional for Adobe Premiere Pro and Adobe Soundbooth.
Story	Application	Application for storyboarding scripts.	AdobeStory1.0-mul AdobeStoryExtension-mul	Application payload.

Component	Type	Component Description	Payload	Payload Description
XMP Panels	Support	Provides UI for reading, writing, and editing XMP metadata inside applications.	AdobeXMPPanelsAll AdobeXMPPanelsAll-081210014320	Installer for XMP. Required for most CS5.5 applications; optional for Soundbooth. Without it, none of the UI for XMP metadata is available in applications.
Master Collection	Suite (invisible)	Data required for installations of Master Collection.	AdobeMasterCollection5.5-mul	Driver payload for suite. Required. Similar payloads exist for all other suites. Not present in stanadalone point product.
		Provides flexible serialization and BridgeTalk group information.	AdobeSuiteSharedConfiguration-mul	Required. Without it, suite products fail to activate and no longer execute.
		Microsoft Runtime Libraries, as distributed by Microsoft. (Windows)	Microsoft_VC80_ATL_x86 Microsoft_VC80_ATL_x86_x64 Microsoft_VC80_CRT_x86 Microsoft_VC80_CRT_x86_x64 Microsoft_VC80_MFC_x86 Microsoft_VC80_MFC_x86_x64 Microsoft_VC80_MFCLOC_x86 Microsoft_VC80_MFCLOC_x86_x64 Microsoft_VC90_ATL_x86 Microsoft_VC90_ATL_x86_x64 Microsoft_VC90_CRT_x86 Microsoft_VC90_CRT_x86_x64 Microsoft_VC90_MFC_x86 Microsoft_VC90_MFC_x86_x64	Required.
		The database that describes what is installed and where, helps track dependencies on shared components.	Media_db.db	Required.
		Describes where the payloads are on the media (DVD, EDS) and identifies the driver payload.	Setup.xml	Required.